INDEX TO AUTHORS

A

ADAMS, ELEANOR C., and HERTIG, ARTHUR T. Studies on guinea pig oocytes. I. Electron microscopic observations on the development of cytoplasmic organelles in oocytes of primordial and primary follicles, 397

ALLFREY, V. G., LITTAU, V. C., and MIRSKY, A. E. Methods for the purification of thymus nuclei and their application to studies of nuclear protein synthesis, 213

ANDERSON, NORMAN G. See SCHUEL and ANDERSON, 309

B

BAHR, GUNTER F., and ZEITLER, ELMAR. Study of bull spermatozoa. Quantitative electron microscopy, 175

BAYER, M. E. An electron microscope examination of urinary mucoprotein and its interaction with influenza virus, 265

BENNETT, WILLIAM E. See DANNENBERG and BENNETT, 1

BENSCH, KLAUS, GORDON, GERALD, and MILLER, LEONARD. The fate of DNA-containing particles phagocytized by mammalian cells, 105

BRACKER, C. E., and BUTLER, E. E. Function of the septal pore apparatus in *Rhizoctonia solani* during protoplasmic streaming, 152

BURSTONE, MARVIN S. See WOLLMAN, SPICER, and BURSTONE, 191

BUTLER, E. E. See BRACKER and BUTLER, 152

C

CALKINS, EVAN. See COHEN and CALKINS, 481

CAMERON, IVAN L., and CLEFFMANN, GÜNTER. Initiation of mitosis in relation to the cell cycle following feeding of starved chickens, 169

CARO, LUCIEN. See LANE, CARO, OTERO-VILARDEBÓ, and GODMAN, 339

CHAMBERS, VELMA C., and WEISER, RUSSELL S. Annulate lamellae in Sarcoma I cells, 133

CLEFFMANN, GÜNTER. See CAMERON and CLEFFMANN, 169

COHEN, ALAN S., and CALKINS, EVAN. The isolation of amyloid fibrils and a study of the effect of collagenase and hyaluronidase, 481

D

DANNENBERG, ARTHUR M., JR., and BENNETT, WILLIAM E. Hydrolytic enzymes of rabbit mononuclear exudate cells. I. Quantitative assay and properties of certain proteases, non-specific esterases, and lipases of mononuclear and polymorphonuclear cells and erythrocytes, 1

DE LUCA, HECTOR F. See SMITH and DE LUCA, 15

E

EAKIN, RICHARD M., and WESTFALL, JANE A. Fine structure of the eye of a chaetognath, 115

ELSDALE, T. R. See JONES and ELSDALE, 245

F

FARBMAN, ALBERT I. Electron microscope study of a small cytoplasmic structure in rat oral epithelium, 491

FISCHMAN, DONALD A., and GERSHON, MICHAEL D. A method for studying intracellular movement of water-soluble isotopes prior to radioautography, 139

G

GERSHON, MICHAEL D. See FISCHMAN and GERSHON, 139

GILMOUR, D., and ROBINSON, P. M. Contraction in glycerinated myofibrils of an insect (Orthoptera, acrididae), 385

GODMAN, GABRIEL C., and LANE, NATHAN. On the site of sulfation in the chondrocyte, 353

—. See LANE, CARO, OTERO-VILARDEBÓ, and GODMAN, 339

—. See OTERO-VILARDEBÓ, LANE, and GODMAN, 486

GONATAS, NICHOLAS K. See ROBBINS and GONATAS, 429

—. See ROBBINS, MARCUS, and GONATAS, 49

—. See SAMUELS, GONATAS, and WEISS, 148

GORDON, GERALD. See BENSCH, GORDON, and MILLER, 105

GRAY, E. G., and YOUNG, J. Z. Electron microscopy of synaptic structure of *Octopus* brain, 87

H

HERTIG, ARTHUR T. See ADAMS and HERTIG, 397

J

JONES, K. W., and ELSDALE, T. R. The effects of actinomycin D on the ultrastructure of the nucleus of the amphibian embryonic cell, 245

K

KIMBALL, R. F., and PRESCOTT, D. M. RNA and protein synthesis in amacronucleate *Paramecium aurelia*, 496

KNIGHT, BRUCE W. See WEIBEL and KNIGHT, 367

L

LANE, NATHAN, CARO, LUCIEN, OTERO-VILARDEBÓ, LUIS R., and GODMAN, GABRIEL C. On the site of sulfation in colonic goblet cells, 339
—. See GODMAN and LANE, 353
—. See OTERO-VILARDEBÓ, LANE, and GODMAN, 486
LEBLOND, C. P. See PETERSON and LEBLOND, 143
LITTAU, V. C. See ALLFREY, LITTAU, and MIRSKY, 213

M

MARCUS, PHILIP I. See ROBBINS, MARCUS, and GONATAS, 49
MARIN, G., and PRESCOTT, D. M. The frequency of sister chromatid exchanges following exposure to varying doses of H^3-thymidine or x-rays, 159
MELMAN, ARNOLD. See ROSENBAUM and MELMAN, 325
MICALI, ANITA. See ROBBINS, MARCUS, and GONATAS, 49
MILLER, LEONARD. See BENSCH, GORDON, and MILLER, 105
MIRSKY, A. E. See ALLFREY, LITTAU, and MIRSKY, 213

N

NAKAI, TAKASHI. A study of the ultrastructural localization of hair keratin synthesis utilizing electron microscopic autoradiography in a magnetic field, 63

O

OSINCHAK, JOSEPH. Electron microscopic localization of acid phosphatase and thiamine pyrophosphatase activity in hypothalamic neurosecretory cells of the rat, 35
OTERO-VILARDEBÓ, LUIS R., LANE, NATHAN, and GODMAN, GABRIEL C. Localization of phosphatase activities in colonic goblet and absorptive cells, 486
—. See LANE, CARO, OTERO-VILARDEBÓ, and GODMAN, 339
OVERTON, JANE, and SHOUP, JANE. Fine structure of cell surface specializations in the maturing duodenal mucosa of the chick, 75
OZZELLO, LUCIANO. Effects of 17-β-estradiol and of growth hormone on the production of acid mucopolysaccharides by human embryonal fibroblasts *in vitro*, 283

P

PETERSON, MARIAN, and LEBLOND, C. P. Synthesis of complex carbohydrates in the Golgi region, as shown by radioautography after injection of labeled glucose, 143
PRESCOTT, D. M. See KIMBALL and PRESCOTT, 496
—. See MARIN and PRESCOTT, 159
—. See STONE and PRESCOTT, 275

R

RIZKI, ROSE M. See RIZKI and RIZKI, 27
RIZKI, T. M. Mutant genes regulating the inducibility of kynurenine synthesis, 203
— and RIZKI, ROSE M. Factors affecting the intracellular synthesis of kynurenine, 27
ROBBINS, ELLIOTT, and GONATAS, NICHOLAS K. The ultrastructure of a mammalian cell during the mitotic cycle, 429
—, MARCUS, PHILIP I., and GONATAS, NICHOLAS K. Dynamics of acridine orange-cell interaction. II. Dye-induced ultrastructural changes in multivesicular bodies (acridine orange particles), 49
ROBINSON, P. M. See GILMOUR and ROBINSON, 385
ROSENBAUM, ROBERT M., and MELMAN, ARNOLD. Cytochemical differences in kidneys from winter-hibernating and aroused bats (*Myotis lucifugus*), with particular reference to the Golgi zone, 325

S

SAMUELS, STANLEY, GONATAS, NICHOLAS K., and WEISS, MARTIN. Chemical and ultrastructural comparison of synthetic and pathologic membrane system, 148
SCHUEL, HERBERT, and ANDERSON, NORMAN G. Studies on isolated cell components. XVI. The distribution of acid phenyl phosphatase activities in rat liver brei fractionated in the zonal ultracentrifuge, 309
SHALLA, THOMAS A. Assembly and aggregation of tobacco mosaic virus in tomato leaflets, 253
SHOUP, JANE. See OVERTON and SHOUP, 75
SMITH, JANET A., and DE LUCA, HECTOR F. Structural changes in isolated liver mitochondria of rats during essential fatty acid deficiency, 15
SPICER, SAMUEL S. See WOLLMAN, SPICER, and BURSTONE, 191
STONE, G. E., and PRESCOTT, D. M. Cell division and DNA synthesis in *Tetrahymena pyriformis* deprived of essential amino acids, 275
STRAUS, WERNER. Occurrence of phagosomes and phago-lysosomes in different segments of the nephron in relation to the reabsorption, transport, digestion, and extrusion of intravenously injected horseradish peroxidase, 295
SUGANUMA, ATSUSHI. The plasma membrane of *Staphylococcus aureus* treated with HCl solution, 290
SZOLLOSI, DANIEL. The structure and function of centrioles and their satellites in the jellyfish *Phialidium gregarium*, 465

T

TAYLOR, J. HERBERT. The arrangement of chromosomes in the mature sperm of the grasshopper, 286
TROTTER, NANCY L. A fine structure study of lipid in mouse liver regenerating after partial hepatectomy, 233

W

WEIBEL, EWALD R., and KNIGHT, BRUCE W. A morphometric study on the thickness of the pulmonary air-blood barrier, 367

WEISER, RUSSELL S. See CHAMBERS and WEISER, 133
WEISS, MARTIN. See SAMUELS, GONATAS, and WEISS, 148
WESTFALL, JANE A. See EAKIN and WESTFALL, 115
WOLLMAN, SEYMOUR H., SPICER, SAMUEL S., and BURSTONE, MARVIN S. Localization of esterase and acid phosphatase in granules and colloid droplets in rat thyroid epithelium, 191

Y

YOUNG, J. Z. See GRAY and YOUNG, 87

Z

ZEITLER, ELMAR. See BAHR and ZEITLER, 175

INDEX TO SUBJECTS

A

Acid mucopolysaccharides, production of in human embryonal fibroblasts *in vitro*, effects of 17-β-estradiol and of growth hormone on, biochemical study, 283

— phenyl phosphatase activities, distribution of in rat liver brei fractionated in zonal ultracentrifuge, biochemical studies on isolated cell components, 309

— phosphatase and esterase, localization of in granules and colloid droplets in thyroid epithelium of rat, histochemical study, 191

Acridine orange, dynamics of interaction with cell (HeLa), dye-induced ultrastructural changes in multivesicular bodies (dye particles), EM study, 49

Actinomycin D, effects on ultrastructure of nucleus of cultured embryonic cells of frog *Rana pipiens*, EM study, 245

Alveolo-capillary membrane (pulmonary air-blood barrier), thickness of in rat lung, EM morphometric study, 367

Amino acids (essential), cell division and DNA synthesis in ciliates *Tetrahymena pyriformis* deprived of, autoradiographic study, 275

Amyloid fibrils, isolation of from human amyloid-laden liver and study of effect of collagenase and hyaluronidase on, biochemical and EM study, 481

Annulate lamellae, in Sarcoma I cells, of mouse, EM study, 133

Autoradiography, method of studying intracellular movement of water-soluble isotopes prior to, 139

B

Bacterium, *Staphylococcus aureus*, plasma membrane of organisms treated with HCl solutions, EM study, 290

Bat, *Myotis lucifugus*, cytochemical differences in kidneys from winter-hibernating and aroused animals, with particular reference to Golgi zone, 325

Brain, synaptic structure, of *Octopus*, EM study, 87

Bull, spermatozoa, characteristic dimensions and distribution of dry mass in, quantitative electron microscopy, 175

C

Calf, thymus, methods for purification of nuclei and their application to studies on nuclear protein synthesis, biochemical and EM autoradiographic study, 213

Carbohydrates, complex, synthesis of in Golgi region of cells of rat tissues, as shown by radioautography after injection of labeled glucose, 143

Cell components, isolated, distribution of acid phenyl phosphatase activities in rat liver brei fractionated in zonal ultracentrifuge, biochemical study, 309

— division and DNA synthesis, in ciliates *Tetrahymena pyriformis* deprived of essential amino acids, autoradiographic study, 275

—, goblet, in rat colon, site of sulfation in, *in vitro* and *in vivo*, EM radioautographic study, 339

—, HeLa, dynamics of interaction between acridine orange and cell, dye-induced ultrastructural changes in multivesicular bodies (dye particles), EM study, 49

—, HeLa, ultrastructure of during mitotic cycle, EM study, 429

— line CHEF-125, Chinese hamster, frequency of sister chromatid exchanges following exposure to varying doses of thymidine-H^3 or x-rays, autoradiographic analysis, 159

—, mammalian fibroblast, L strain, fate of DNA-containing particles phagocytized by, cytochemical and EM study, 105

—, Sarcoma I, of mouse, annulate lamellae in, EM study, 133

— surface specializations, in maturing duodenal mucosa of chick, EM study, 75

Cells, cultured, embryonic, of frog *Rana pipiens*, effects of Actinomycin D on ultrastructure of nucleus of, EM study, 245

—, exudate, of rabbit, hydrolytic enzymes of, quantitative assay and properties of certain proteases and non-specific esterases and lipases of mononuclear and polymorphonuclear cells and erythrocytes, biochemical study, 1

—, goblet and absorptive, in rat colon, localization of phosphatase activities in, EM cytochemical study, 486

Centrioles and their satellites, in testis of jellyfish *Phialidium gregarium*, structure and function of, EM study, 465

Chick, fine structure of cell surface specializations in maturing duodenal mucosa, 75

Chicken, esophageal and duodenal epithelia, initiation of mitosis in relation to cell cycle following feeding of starved animals, measurements of mitotic index and DNA synthetic index, autoradiographic study, 169

Chondrocyte, of embryonic rat, site of sulfation in, EM radioautographic study, 353

Chromatid (sister) exchanges, frequency of following exposure to varying doses of thymidine-H^3 or x-

rays, in Chinese hamster cell line CHEF-125, autoradiographic analysis, 159
Chromosomes, arrangement of in mature sperm of grasshopper *Romalea microptera*, autoradiographic study, 286
Cytoplasmic bodies, membranous, in cerebral neurons in Tay-Sachs disease, comparison with synthetic membrane system, chemical and ultrastructural study, 148
— organelles, development of in oocytes in primordial and primary follicles of guinea pig, EM study, 397
— structure, small, in tongue epithelium of rat, EM study, 491

D

DNA synthesis and cell division, in ciliates *Tetrahymena pyriformis* deprived of essential amino acids, autoradiographic study, 275
DNA-containing particles, fate of after phagocytosis by L strain mammalian fibroblasts, cytochemical and EM study, 105
Duodenal mucosa, maturing, in chick, fine structure of cell surface specializations in, 75

E

Electron microscopy, quantitative, study of characteristic dimensions and distribution of dry mass in bull spermatozoa, 175
— microscopy, quantitative, thickness of pulmonary air-blood barrier (alveolo-capillary membrane), morphometric study, 367
Embryonic cells, cultured, of frog *Rana pipiens*, effects of Actinomycin D on ultrastructure of nucleus of, EM study, 245
Enzymes, acid phosphatase and thiamine pyrophosphatase, localization of in hypothalamic neurosecretory cells of rat, EM and cytochemical study, 35
—, hydrolytic, of mononuclear exudate cells, of rabbit, quantitative assay and properties of certain proteases and non-specific esterases and lipases of mononuclear and polymorphonuclear cells and erythrocytes, biochemical study, 1
Epithelium, of esophagus and duodenum, of chicken, initiation of mitosis in relation to cell cycle following feeding of starved animals, measurements of mitotic index and DNA synthetic index, autoradiographic study, 169
—, of rat thyroid, localization of esterase and acid phosphatase in granules and colloid droplets, histochemical study, 191
—, of rat tongue, small cytoplasmic structure in, EM study, 491
Esterase and acid phosphatase, localization of in granules and colloid droplets in thyroid epithelium of rat, histochemical study, 191
Exudate cells, of rabbit, hydrolytic enzymes of, quantitative assay and properties of certain proteases and non-specific esterases and lipases of mononuclear and polymorphonuclear cells and erythrocytes, biochemical study, 1
Eye, of worm (chaetognath) *Sagitta scrippsae*, fine structure of, 115

F

Fatbody, larval, of *Drosophila melanogaster*, factors affecting intracellular synthesis of kynurenine in, 27
—, larval, of *Drosophila melanogaster*, mutant genes regulating inducibility of kynurenine synthesis, 203
Fatty acid (essential) deficiency, in rats, structural changes in isolated liver mitochondria during, light microscope and biochemical study, 15
Fibrils, amyloid, isolation of from human amyloid-laden liver and study of effect of collagenase and hyaluronidase on, biochemical and EM study, 481
Fibroblast, mammalian, L strain, fate of DNA-containing particles phagocytized by, cytochemical and EM study, 105
Fibroblasts, human embryonal *in vitro*, effects of 17-β-estradiol and of growth hormone on production of acid mucopolysaccharides by, biochemical study, 283
Frog, *Rana pipiens*, effects of actinomycin D on ultrastructure of nucleus of cultured embryonic cells, EM study, 245
Fruitfly, *Drosophila melanogaster*, factors affecting intracellular synthesis of kynurenine, in larval fatbody, 27
—, *Drosophila melanogaster*, mutant genes regulating inducibility of kynurenine synthesis, in larval fatbody, 203
Fungus, *Rhizoctonia solani*, function of septal pore apparatus during protoplasmic streaming, EM study, 152

G

Goblet cell, colonic, of rat, site of sulfation in, *in vitro* and *in vivo*, EM radioautographic study, 339
— cells and absorptive cells, colonic, of rat, localization of phosphatase activities in, EM cytochemical study, 486
Golgi region, of cells of rat tissues, synthesis of complex carbohydrates, as shown by radioautography after injection of labeled glucose, 143
— zone, in tubular epithelial cells, of bat kidney, cytochemical differences in kidneys from winter-hibernating and aroused animals, with special reference to, 325
Grasshopper, *Romalea microptera*, arrangement of chromosomes in mature sperm of, autoradiographic study, 286
Guinea pig, oocytes in primordial and primary follicles, observations on development of cytoplasmic organelles, EM study, 397

H

Hair keratin synthesis, localization of, EM and autoradiographic (in magnetic field) study, 63
Hamster, Chinese, cell line CHEF-125, frequency of sister chromatid exchanges following exposure to varying doses of thymidine-H^3 or x-rays, autoradiographic analysis, 159

HeLa cell, dynamics of interaction between acridine orange and cell, dye-induced ultrastructural changes in multivesicular bodies (dye particles), EM study, 49
— cell, ultrastructure of during mitotic cycle, EM study, 429
Hormones, 17-β-estradiol and growth hormone, effects of on production of acid mucopolysaccharides by human embryonal fibroblasts *in vitro*, biochemical study, 283
Human, embryonal fibroblasts *in vitro*, effects of 17-β-estradiol and of growth hormone on production of acid mucopolysaccharides by, biochemical study, 283
—, liver (amyloid-laden), isolation of amyloid fibrils and study of effect of collagenase and hyaluronidase, biochemical and EM study, 481
—, urinary mucoprotein, interaction with influenza virus, EM study, 265

I

Isotopes, water-soluble, method of studying intracellular movement of prior to radioautography, 139

J

Jellyfish, *Phialidium gregarium*, structure and function of centrioles and their satellites in testis of, EM study, 465

K

Keratin synthesis, in mouse hair, localization of, EM and autoradiographic (in magnetic field) study, 63
Kidney, of rat, occurrence of phagosomes and phagolysosomes in different segments of nephron, in relation to reabsorption, transport, digestion, and extrusion of intravenously injected horseradish peroxidase, histochemical study, 295
Kidneys, of bat *Myotis lucifugus*, from winter-hibernating and aroused animals, cytochemical differences in with particular reference to Golgi zone, 325
Kynurenine, factors affecting intracellular synthesis of in larval fatbody of *Drosophila melanogaster*, 27
—, mutant genes regulating inducibility of synthesis of in larval fatbody of *Drosophila melanogaster*, 203

L

Lamellae, annulate, in Sarcoma I cells, of mouse, EM study, 133
Leaflets, of tomato, assembly and aggregation of tobacco mosaic virus in, studied by phase and electron microscopy, 253
Lipid, in regenerating liver of mouse, fine structure study of after partial hepatectomy, 233
Liver, (amyloid-laden), of human, isolation of amyloid fibrils and study of effect of collagenase and hyaluronidase, biochemical and EM study, 481
—, of rat, distribution of acid phenyl phosphatase activities in brei fractionated in zonal ultracentrifuge, biochemical studies on isolated cell components, 309
—, of rat, structural changes in isolated mitochondria during essential fatty acid deficiency, light microscope and biochemical study, 15
—, regenerating, of mouse, fine structure study of lipid after partial hepatectomy, 233
Locust, *Gastrimargus musicus*, contraction of glycerinated myofibrils of femoral muscles, phase contrast study, 385
Lung, of rat, thickness of pulmonary air-blood barrier (alveolo-capillary membrane), EM morphometric study, 367

M

Membrane, plasma, of bacteria *Staphylococcus aureus* treated with HCl solutions, EM study, 290
— systems, comparison of synthetic and pathologic (Tay-Sachs disease) systems, chemical and ultrastructural study, 148
Mitochondria, isolated, of rat liver, structural changes during essential fatty acid deficiency, light microscope and biochemical study, 15
Mitosis, in esophageal and duodenal epithelia, of chicken, initiation of in relation to cell cycle following feeding of starved animals, measurements of mitotic index and DNA synthetic index, autoradiographic study, 169
Mitotic cycle, ultrastructure of HeLa cell during, EM study, 429
Mouse, localization of hair keratin synthesis, EM and autoradiographic (in magnetic field) study, 63
—, regenerating liver, fine structure study of lipid after partial hepatectomy, 233
—, Sarcoma I cells, annulate lamellae in, EM study, 133
Mucoprotein, urinary, of human, interaction with influenza virus, EM study, 265
Multivesicular bodies (acridine orange particles), acridine orange–induced ultrastructural changes in, of HeLa cell, dynamics of interaction between dye and cell, EM study, 49
Muscles, femoral, of locust *Gastrimargus musicus*, contraction of glycerinated myofibrils of, phase contrast study, 385
Myofibrils, glycerinated, of femoral muscles, of locust *Gastrimargus musicus*, contraction of, phase contrast study, 385

N

Neurosecretory cells, hypothalamic, of rat, localization of acid phosphatase and thiamine pyrophosphatase activity in, EM and cytochemical study, 35
Nuclei, of calf thymus, methods for purification of and their application to studies on nuclear protein synthesis, biochemical and EM autoradiographic study, 213
Nucleus, of cultured embryonic cells, of frog *Rana pipiens*, effects of Actinomycin D on ultrastructure of, EM study, 245

O

Octopus, synaptic structure of brain of, EM study, 87

Oocytes, in primordial and primary follicles of guinea pig, observations on development of cytoplasmic organelles, EM study, 397

P

Peroxidase, horseradish, intravenously injected, occurrence of phagosomes and phago-lysosomes in different segments of nephron, of rat kidney, in relation to reabsorption, transport, digestion, and extrusion of, histochemical study, 295

Phagosomes and phago-lysosomes in different segments of nephron, of rat kidney, in relation to reabsorption, transport, digestion, and extrusion of intravenously injected horseradish peroxidase, histochemical study, 295

Phosphatase activities, in colonic goblet cells and absorptive cells of rat, EM cytochemical study, 486

Plasma membrane, of bacteria *Staphylococcus aureus* treated with HCl solutions, EM study, 290

Pore (septal) apparatus, in fungus *Rhizoctonia solani*, function of during protoplasmic streaming, EM study, 152

Protein and RNA synthesis, in amacronucleate *Paramecium aurelia*, autoradiographic study, 496

— synthesis, nuclear, methods for purification of calf thymus nuclei and their application to studies on, biochemical and EM autoradiographic study, 213

Protozoa, *Paramecium aurelia*, amacronucleate, RNA and protein synthesis in, autoradiographic study, 496

—, *Tetrahymena pyriformis*, cell division and DNA synthesis in ciliates deprived of essential amino acids, autoradiographic study, 275

R

Rabbit, hydrolytic enzymes of mononuclear exudate cells, quantitative assay and properties of certain proteases and non-specific esterases and lipases of mononuclear and polymorphonuclear cells and erythrocytes, biochemical study, 1

Radioactive label, C^{14}-amino acids and tritiated leucine, methods for purification of calf thymus nuclei and their application to studies on nuclear protein synthesis, biochemical and EM autoradiographic study, 213

— label, glucose-6-H^3 and sulfate-S^{35}, synthesis of complex carbohydrates in Golgi region of cells of rat tissues, as shown by radioautography, 143

— label, S^{35}-cystine, localization of hair keratin synthesis in mouse, EM and autoradiographic (in magnetic field) study, 63

— label, serotonin-C^{14} and Ca^{45}, method of studying intracellular movement of water-soluble isotopes prior to radioautography, 139

— label, sodium sulfate-S^{35}, site of sulfation in chondrocytes of embryonic rat, EM radioautographic study, 353

— label, sodium sulfate-S^{35}, site of sulfation in colonic goblet cell of rat, *in vivo* and *in vitro*, EM radioautographic study, 339

— label, thymidine-H^3, arrangement of chromosomes in mature sperm of grasshopper *Romalea microptera*, autoradiographic study, 286

— label, thymidine-H^3, cell division and DNA synthesis in ciliates *Tetrahymena pyriformis* deprived of essential amino acids, autoradiographic study, 275

— label, thymidine-H^3, frequency of sister chromatid exchanges following exposure to varying doses of tritiated thymidine or x-rays, in Chinese hamster cell line CHEF-125, autoradiographic analysis, 159

— label, thymidine-H^3, initiation of mitosis in relation to cell cycle following feeding of starved animals, measurements of mitotic index and DNA synthetic index in esophageal and duodenal epithelia, autoradiographic study, 169

— label, tritiated cytidine-uridine and tritiated amino acids, autoradiographic study of RNA and protein synthesis, in amacronucleate *Paramecium aurelia*, 496

Rat, colonic goblet cells and absorptive cells, localization of phosphatase activities in, EM cytochemical study, 486

—, colonic goblet cells, site of sulfation in, *in vitro* and *in vivo*, EM radioautographic study, 339

—, embryonic chondrocytes, site of sulfation in, EM radioautographic study, 353

—, hypothalamic neurosecretory cells, localization of acid phosphatase and thiamine pyrophosphatase activity in, EM and cytocnemical study, 35

—, kidney, occurrence of phagosomes and phago-lysosomes in different segments of nephron, in relation to reabsorption, transport, digestion, and extrusion of intravenously injected horseradish peroxidase, histochemical study, 295

—, liver, distribution of acid phenyl phosphatase activities in brei fractionated in zonal ultracentrifuge, biochemical studies on isolated cell components, 309

—, liver, structural changes in isolated mitochondria during essential fatty acid deficiency, light microscope and biochemical study, 15

—, lung, thickness of pulmonary air-blood barrier (alveolo-capillary membrane), EM morphometric study, 367

—, thyroid epithelium, localization of esterase and acid phosphatase in granules and colloid droplets in, histochemical study, 191

—, tissues, synthesis of complex carbohydrates in Golgi region of cells of, as shown by radioautography after injection of labeled glucose, 143

—, tongue epithelium, small cytoplasmic structure in, EM study, 491

RNA and protein synthesis, in amacronucleate *Paramecium aurelia*, autoradiographic study, 496

S

Septal pore apparatus, in fungus *Rhizoctonia solani*, function of during protoplasmic streaming, EM study, 152

Sperm, mature, of grasshopper *Romalea microptera*,

arrangement of chromosomes in, autoradiographic study, 286
Spermatozoa, of bull, characteristic dimensions and distribution of dry mass in, quantitative electron microscopy, 175
Sulfation, site of in chondrocytes, of embryonic rat, EM radioautographic study, 353
—, site of in colonic goblet cells, of rat, *in vivo* and *in vitro*, EM radioautographic study, 339
Synaptic structure, of brain of *Octopus*, EM study, 87

T

Testis, of jellyfish *Phialidium gregarium*, structure and function of centrioles and their satellites, EM study, 465
Thymus, of calf, methods for purification of nuclei and their application to studies on nuclear protein synthesis, biochemical and EM autoradiographic study, 213
Thyroid epithelium, of rat, localization of esterase and acid phosphatase in granules and colloid droplets in, histochemical study, 191
Tomato, leaflets, assembly and aggregation of tobacco mosaic virus in, studied by phase and electron microscopy, 253
Tongue epithelium, of rat, small cytoplasmic structure in, EM study, 491

U

Urinary mucoprotein, of human, interaction with influenza virus, EM study, 265

V

Virus, influenza, interaction with human urinary mucoprotein, EM study, 265
—, tobacco mosaic, assembly and aggregation of in tomato leaflets, studied by phase and electron microscopy, 253

W

Worm (chaetognath), *Sagitta scrippsae*, fine structure of eye of, 115

X

X-Radiation, of Chinese hamster cell line CHEF-125, frequency of sister chromatid exchanges following exposure to varying doses of tritiated thymidine of, autoradiographic analysis, 159